




Bitpower Water Block

Design For ASUS RAMPAGE IV BLACK EDITION

Installation Guide

Step1



2IX79R4BE		
	0.5MM SPACER	6PCS
	M2.5x6MM SCREW	4PCS
	M2.5x10MM SCREW	2PCS

NOTE : 24 HOURS LEAKAGE TEST BEFORE USING





Bitpower Water Block


Design For ASUS RAMPAGE IV BLACK EDITION

Installation Guide


Step2



X



X



O

Please refer to the illustration lock nut to the position.

CPU BLOCK SUMMIT EF

	SCM3F	4PCS
	SPRING	4PCS
	SCM4M3	4PCS

NOTE : 24 HOURS LEAKAGE TEST BEFORE USING




Bitpower Water Block

Design For ASUS RAMPAGE IV BLACK EDITION

Installation Guide

Step3



RIX79R4BE ARMOR

 M4x24 MM SCREW 7PCS

 FITTING 6PCS

NOTE : 24 HOURS LEAKAGE TEST BEFORE USING




Bitpower Water Block

Design For ASUS RAMPAGE IV BLACK EDITION

Installation Guide

The Front



Applying The Thermal PAD And Thermal Paste On Correct Positions.

-  Using Appropriate Amount Of Thermal Paste.
-  0.5MM THERMAL PAD